

Modelli per la misura del software. Parte III.

Developing MMLC in practice.

Materiale a circolazione interna al corso di ISSSR
Ing. Informatica Roma Tor Vergata
NON AUTORIZZATA LA DIFFUSIONE A TERZI

Application Domain

We would want to apply the MMLC, as proposed in the previous slides, as MM production tool within a technology transfer pilot project, aiming at investigating the (BPR) Business Processes Reengineering-ability of a class of administrative organizations, namely the *Public Administration*, (PA).

Development Context and People Involved

We want to devise the project in the University of Roma Tor Vergata, Italy.

We presume that each participating PA organization includes an internal data-processing unit.

The project should involve stakeholders of the target organizations in the whole software process, and is to be specified by Use cases. However, we do not expect that higher level managers will participate.

Goal

The target organizations constitute a set of loosely coupled administrative organizations (e.g. Ministries) and (are assumed to) share a common goal:

- ❑ To *improve* the business processes by including computer-based process-technologies, *without* modifying, at least in the short term, the personnel and processes structure in-place.

Alternative Solution Hypotheses

In order to achieve the given goal, we took into account both a:

- ❑ Radical BPR approach, and an
 - ❑ Evolutionary BPR approach.
- (formulation of the goal-oriented SHs).

Quoting from Experience

Solution Hypotheses

The former SHs was excluded because of the explicitly stated constraints of respecting the structure of the processes and the corresponding roles.

Hence, the business system is to be investigated according to an *evolutionary BPR approach*.

Focusin on the technology to
experiment on

Discussion.

Coding?

Ultimately, a *workflow automation approach* is to be applied.

Workflow Automation

Workflow Automation (WA) has been an expanding technology, with a multitude of advertised supporting tools, but lacking of methods, techniques, reusable knowledge and products.

What WA development technology for those goals?

The choice of the WA development technology most adequate to the organization's goals becomes therefore the issue to address.

In other words, once identified the set of available technologies, the problem will be to *select the most suitable one*.

What WA development technology for those goals?

For such a purpose, our decision is to produce a goal-, and application-domain, -based Measurement Model (MM), i.e.: a technology MM able to express the *attitude of a given WA-development technology* to support the organizational goals.

Reducing the number of technologies to cope with

The idea is to construct an MM so that, once

- Built the Awareness technology set by browsing the technology domain,

We can proceed in applying that MM to:

- Filter the Candidate technologies (i.e., situating technologies), and then
- Select the Treatments (i.e., technologies worth to be “empirically” evaluated in a systematic way).

High-level goal of the target organization

Goal Structure	Goal Facet
<i>Object of Study:</i>	Business processes
<i>Purpose:</i>	Improve
<i>Quality Focus:</i>	Performance (reliability, responsiveness, process transparency, and data privacy) and control
<i>Viewpoint:</i>	External customers (collaborating organizations, coordinated agencies, and citizens) and Internal customers (managers, employees)
<i>Context:</i>	Organization (without modifying the structure of the processes in place, or the hierarchical structure of the involved roles)

Tempi altre quantità e modi

Subordinate Project Goals

The main goal leads to various subordinate goals and/or constraints. Some are strictly related to the project, such as:

- ☐ Introduce a WA environment suitable to be managed directly by the organization
- ☐ Reduce the training time
- ☐ Evaluate convenience of having internal development and maintenance.

Subordinate Long Term Improvement Goals

Others subordinate goals are more concerned with the long-term organization improvement, such as:

- ❑ Create an expertise on WA technology to be spread across similar organizations.

Strategic Mgt. Decision

In particular, (we assume that) at a strategic management level, the decision is made of automating *only* a specific sector of one of the target organizations, specifically *a division* of a Ministry, before drawing up the final plan.

What MM is needed?

The MM has therefore to combine the ability of capturing and formalizing the experience the organization has to build up, with the suitability of operating as a selection tool.

Usability, reliability, and flexibility (ease of updating) are therefore among the *crucial requirements* that set off the Creation Phase of the needed MM. Let's call *Attitude* such a MM.

MM Definition. MM Components

As the MMLC prescribes (MM Definition), the next steps concerns the definition of the MM components, i.e.:

- ❑ *Attribute properties* (e.g., the *Attitude has to be positive*),
- ❑ Technology model suitable to capture the *capabilities of the WA development system relevant for evaluating its attitude in supporting the organizational goals*, and
- ❑ Mapping.

MM Definition. MM Components

In particular, in order to identify and classify the relevant technology capabilities, the concept of technology management is to be refined and tailored to the specific class of organizations, and the application domain (i.e., the business system within which the WA system has to be applied) is to be carefully analyzed, from the goal's perspective.

Some examples follow.

Detecting Influential Capabilities.

Example

- ❑ Organization management: dealing with organization charts, roles etc.
- ❑ Process management: representing the process state, cost, deadline and delays, the periodic activities, the exceptions, etc.
- ❑ Product management: handling aspects such as document-versioning, -filing, -queuing, etc.
- ❑ Technology management: coping with models, languages, results, learning-time, etc. of a technology.

Detecting Influential Capabilities. Examples

- ☐ Process transparency
- ☐ Data privacy
- ☐ Personnel and team management (e.g., process-ownership, workload, etc.)
- ☐ Learnability
- ☐ Trainability
- ☐ Usability (user interfaces, on-line help, etc.).

Organizing the influential capabilities

In order *to produce a structured technology model*, once recognized, we have to structure the influential capabilities.

Developing a Technology Model

Our decision was to organize the influential capabilities into a

*Goal-oriented and Capability-based
Technology-Tree (TT).*

Technology Tree (TT)

In a TT nodes represent technology capabilities, and edges represent decomposition relationships. In particular:

- ❑ The **root** represents the *main capability* (i.e. the attribute Attitude).
- ❑ **Edges** are ordered couples of nodes that represent *decomposition relationships* between capabilities.
- ❑ A **non-leaf node** represents a *compound capability*, which is decomposed into more capabilities (i.e. it is root of a (sub) technology tree).
- ❑ A **leaf node** represents an *elementary capability*, i.e. a capability that the organization is no further interested to breakdown, or that can not be decomposed within the current iteration of the modeling process.

Developing a Technology Tree

A TT can be developed by a *stepwise refinement process*, including improvement cycles, and provides us with the sought flexibility.

Once the main attribute has been decomposed, i.e., after the first breakdown step, each new node can be further refined.

A TT can be stored for future improvement and reuse.

Refinement Level of a TT

When to exit refining?

The refinement level to reach depends on the specific interest of the organization, the available knowledge, and the ability or choices of the MM engineers. Hence, the derived model will result as more refined and improved as more knowledge is gained about the goals and other needs of the organization, the application domain, and eventually the investigated technology.

Weights in a TT

In a TT, each node can be weighted, **node.weight()**, to represent the relative importance the organization assigns to capabilities for what the goal is concerned, so having a weighted TT.

A weighted TT will allow an organization to formalize and quantify the relevance of the technology capabilities and their relationships in achieving the set goal.

Scores in a TT

Eventually, nodes of a TT can be scored, **node.score()**, to represent at what extend a *desired*, *expected*, or *actual* technology includes the associated capability.

So, at the end of the process, it will result into a weighted and scored TT.

Scales in a Technology Tree

Different kind scales can be adopted for weights and scores, depending on the reference standards, desired precision, and available knowledge.

In particular, the scales we used included the following real Ratio scales:

- ❑ Weights, in the range $[0.0 - 1.0]$;
- ❑ Scores, in the range $[0.0 - \text{maxfloat}]$.

A Measurement Model for the **Attitude** (of a Technology to support given organizational goals in the form of TT), **A(TT)**

$$A(TT) = \sum_{j=1..D} \text{Weight}(j) * \text{Score}(j)$$

Validating the MM

Properties to validate.

Testing the MM

The described MM is to be experimentally tested (*Acceptance*). In particular, an experiment, based on the development of multiple synthetic processes, is to performe to verify that the order established among the technologies by the MM is empirically valid.

Testing the MM

Then, the technology that eventually obtains both the best measurement and experimental ratios is to be used to develop a *pilot project*.

Hopefully, experimental results will provide empirical support to the MM.

Testing the MM

Finally, it is worth noting that the suggested Technology-Tree can be exploited to analyze, investigate, and measure more specific technology main attributes (e.g. benefits, costs, features, performance, etc.), and eventually the value of a technology (e.g. in terms of benefit to cost ratio).

Testing the MM

A TT can, in fact, be easily modified to add new capabilities, remove pre-existent ones, or express new needs, for example, to mirror new goals or new application contexts.

In addition, more mapping functions can be defined over the same TT, or parts of it, to obtain different MMs.